

# Package: ROI.plugin.msbinalp (via r-universe)

August 11, 2024

**Version** 1.0-0

**Title** 'Multi-Solution' Binary Linear Problem Plug-in for the 'R'  
Optimization Interface

**Description** Enhances the 'R' Optimization Infrastructure ('ROI')  
package with the possibility to obtain multiple solutions for  
linear problems with binary variables. The main function is  
copied (with small modifications) from the relations package.

**Imports** stats, methods, utils, slam, ROI (>= 0.3-0)

**Suggests** ROI.plugin.glpk

**License** GPL-3

**URL** <http://roi.r-forge.r-project.org/>,  
<https://r-forge.r-project.org/projects/roi/>

**Repository** <https://r-forge.r-universe.dev>

**RemoteUrl** <https://github.com/r-forge/roi>

**RemoteRef** HEAD

**RemoteSha** f089cbe8d2717ead4862edf2c866ead61659e1f6

## Contents

Example-1 . . . . .	1
Example-2 . . . . .	2

<b>Index</b>	4
--------------	---

### Description

$$\begin{aligned}
 & \text{maximize } x + y \\
 & \text{subject to } x + y = 1 \\
 & x, y \in \{0, 1\}
 \end{aligned}$$

### Examples

```

## Not run:
library(ROI)
op <- OP(objective = c(1, 1),
          constraints = L_constraint(c(1, 1), "==" , 1),
          types = c("B", "B"))

x <- ROI_solve(op, solver = "msbinlp", method = "glpk", nsol_max = 2L)
x
## 2 optimal solutions found.
## The objective value is: 1.000000e+00
solution(x)
## [[1]]
## [1] 1 0
##
## [[2]]
## [1] 0 1

## End(Not run)

```

### Description

$$\begin{aligned}
 & \text{maximize } -x_1 - x_2 - x_3 - x_4 - 99x_5 \\
 & \text{subject to} \\
 & x_1 + x_2 \leq 1 \\
 & x_3 + x_4 \leq 1 \\
 & x_4 + x_5 \leq 1 \\
 & x_i \in \{0, 1\}
 \end{aligned}$$

### References

Matteo Fischetti and Domenico Salvagnin (2010) *Pruning moves*. INFORMS Journal on Computing 22.1: 108-119.

**Examples**

```
## Not run:  
library(ROI)  
op <- OP()  
objective(op) <- L_objective(c(-1, -1, -1, -1, -99))  
mat <- simple_triplet_matrix(rep(1:3, 2),  
                           c(c(1, 3, 4), c(2, 4, 5)),  
                           rep(1, 6))  
constraints(op) <- L_constraint(mat,  
                                 dir = leq(3),  
                                 rhs = rep.int(1, 3))  
types(op) <- rep("B", length(op))  
  
x <- ROI_solve(op, solver = "msbinlp", method = "glpk", nsol_max = 2L)  
x  
## 2 optimal solutions found.  
## The objective value is: -1.010000e+02  
solution(x)  
## [[1]]  
## [1] 0 1 1 0 1  
##  
## [[2]]  
## [1] 1 0 1 0 1  
  
## End(Not run)
```

# **Index**

Example-1, [1](#)

Example-2, [2](#)