

Package: ROI.plugin.osqp (via r-universe)

August 11, 2024

Version 1.0-0

Title 'osqp' Plugin for the 'R' Optimization Infrastructure

Description Enhances the 'R' Optimization Infrastructure ('ROI') package with the quadratic solver 'OSQP'. More information about 'OSQP' can be found at <<https://osqp.org>>.

Imports methods, slam, ROI (>= 0.2-5), osqp, Matrix

License GPL-3

URL <http://roi.r-forge.r-project.org/>,
<https://r-forge.r-project.org/projects/roi/>

Repository <https://r-forge.r-universe.dev>

RemoteUrl <https://github.com/r-forge/roi>

RemoteRef HEAD

RemoteSha f089cbe8d2717ead4862edf2c866ead61659e1f6

Contents

| | |
|-----------------------------------|----------|
| ROI.plugin.osqp-package | 1 |
| Example-1 | 3 |
| Index | 4 |

ROI.plugin.osqp-package
osqp

Description

This package provides an interface to OSQP. The OSQP solver is a numerical optimization package or solving convex quadratic programs written in C and based on the alternating direction method of multipliers.

Control Arguments

The following description of the control parameters is mostly copied from the **osqp** manual.

- `[] rho` ADMM step rho
- `[] sigma` ADMM step sigma
- `[] max_iter` maximum iterations
- `[] abs_tol` absolute convergence tolerance
- `[] rel_tol` relative convergence tolerance
- `[] eps_prim_inf` primal infeasibility tolerance
- `[] eps_dual_inf` dual infeasibility tolerance
- `[] alpha` relaxation parameter
- `[] linsys_solver` which linear systems solver to use, 0=QDLDL, 1=MKL Pardiso
- `[] delta` regularization parameter for polish
- `[] polish` boolean, polish ADMM solution
- `[] polish_refine_iter` iterative refinement steps in polish
- `[] verbose` boolean, write out progress
- `[] scaled_termination` boolean, use scaled termination criteria
- `[] check_termination` integer, check termination interval. If 0, termination checking is disabled
- `[] warm_start` boolean, warm start
- `[] scaling` heuristic data scaling iterations. If 0, scaling disabled
- `[] adaptive_rho` boolean, is rho step size adaptive?
- `[] adaptive_rho_interval` Number of iterations between rho adaptations rho. If 0, it is automatic
- `[] adaptive_rho_tolerance` Tolerance X for adapting rho. The new rho has to be X times larger or 1/X times smaller than the current one to trigger a new factorization
- `[] adaptive_rho_fraction` Interval for adapting rho (fraction of the setup time)

References

Bartolomeo Stellato and Goran Banjac and Paul Goulart and Alberto Bemporad and Stephen Boyd. OSQP: An Operator Splitting Solver for Quadratic Programs <https://arxiv.org/abs/1711.08013>, 2017

Bartolomeo Stellato and Goran Banjac. OSQP “webpage” <https://osqp.org/>, 2019

Description

$$\text{maximize } x_1^2 + x_2^2 + x_3^2 - 5x_2$$

subject to :

$$-4x_1 - 3x_2 \geq -8$$

$$2x_1 + x_2 \geq 2$$

$$-2x_2 + x_3 \geq 0$$

$$x_1, x_2, x_3 \geq 0$$

Examples

```
require("ROI")
require("ROI.plugin.osqp")

A <- cbind(c(-4, -3, 0),
          c( 2,  1, 0),
          c( 0, -2, 1))
x <- OP(Q_objective(diag(3), L = c(0, -5, 0)),
      L_constraint(L = t(A),
                  dir = rep(">=", 3),
                  rhs = c(-8, 2, 0)))

opt <- ROI_solve(x, solver = "osqp", abs_tol = 1e-8, rel_tol = 1e-8)
opt
## Optimal solution found.
## The objective value is: -2.380952e+00
solution(opt)
## [1] 0.4761905 1.0476191 2.0952381
```

Index

Example-1, [3](#)

ROI.plugin.osqp-package, [1](#)